

SCV GRAPHITE / NSI RESIN SPINNING BLANKS (GLOSS FOREST GREEN PEARL FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
5S60ULF2-G	Trout/Panfish	LES60ULF2	6'	UL	FAST	2	2-6	1/32-3/16	0.300	3.5	0.9	HKS-2	\$145
5S70ULM2-G	Trout/Panfish	LES70ULM2	7'	UL	MOD.	2	2-6	1/32-3/16	0.320	4.0	1.0	HKS-2	\$175
5S66LF-G	Trout/Panfish/Walleye	LES66LF	6'6"	L	FAST	1	4-8	1/16-1/4	0.390	4.0	1.1	HKS-2	\$150
5S66LF2-G	Trout/Panfish/Walleye	LES66LF2	6'6"	L	FAST	2	4-8	1/16-1/4	0.345	4.0	1.3	HKS-2	\$165
5S70LF-G	Trout/Panfish/Walleye	LES70LF	7'	L	FAST	1	4-8	1/16-1/4	0.395	4.0	1.3	HKS-2	\$160
5S60MLF-G	Bass/Walleye	LES60MLF	6'	ML	FAST	1	4-10	1/8-3/8	0.425	4.0	1.1	HKS-3	\$145
5S66MLF-G	Bass/Walleye	LES66MLF	6'6"	ML	FAST	1	4-10	1/8-3/8	0.450	3.5	1.3	HKS-4	\$155
5S66MLF2-G	Bass/Walleye	LES66MLF2	6'6"	ML	FAST	2	4-10	1/8-3/8	0.450	4.0	1.4	HKS-4	\$165
5S70MLF-G	Bass/Walleye	LES70MLF	7'	ML	FAST	1	4-10	1/8-3/8	0.465	4.0	1.5	HKS-5	\$165
5S70MLF2-G	Bass/Walleye	LES70MLF2	7'	ML	FAST	2	4-10	1/8-3/8	0.455	4.0	1.6	HKS-5	\$175
5S76MLXF-G	Bass/Walleye	LES76MLXF	7'6"	ML	X-FAST	1	4-10	1/8-3/8	0.480	3.5	1.6	HKS-5	\$180
5S76MLXF2-G	Walleye	LES76MLXF2	7'6"	ML	X-FAST	2	4-10	1/8-3/8	0.485	4.0	1.6	HKS-5	\$190
5S60MF-G	Bass/Walleye	LES60MF	6'	M	FAST	1	6-12	3/16-5/8	0.425	4.5	1.2	HKS-3	\$150
5S63MXF-G	Bass/Walleye	LES63MXF	6'3"	M	X-FAST	1	6-10	1/8-1/2	0.450	4.0	1.4	HKS-3	\$155
5S66MF-G	Bass/Walleye	LES66MF	6'6"	M	FAST	1	6-12	3/16-5/8	0.445	4.5	1.4	HKS-4	\$160
5S66MF2-G	Bass/Walleye	LES66MF2	6'6"	M	FAST	2	6-12	3/16-5/8	0.450	4.5	1.5	HKS-4	\$170
5S68MXF-G	Bass/Walleye	LES/LEC68MXF	6'8"	M	X-FAST	1	6-12	3/16-5/8	0.460	4.5	1.6	HKS-4 / HKC-3	\$170
5S70MF-G	Bass/Walleye	LES70MF	7'	M	FAST	1	6-12	3/16-5/8	0.465	4.5	1.6	HKS-5	\$170
5S70MF2-G	Bass/Walleye	LES70MF2	7'	M	FAST	2	6-12	3/16-5/8	0.465	4.5	1.7	HKS-5	\$180
5S76MF-G	Bass/Walleye	LES76MF	7'6"	M	FAST	1	6-12	3/16-5/8	0.480	4.5	1.8	HKS-5	\$180
5S66MHF-G	Bass/Pike	LES66MHF	6'6"	MH	FAST	1	8-14	3/8-3/4	0.500	5.0	1.8	HKS-5	\$170
5S70MHF-G	Bass/Pike	LES70MHF	7'	MH	FAST	1	8-14	3/8-3/4	0.510	5.5	2.1	HKS-5	\$180

SCV GRAPHITE / NSI RESIN SPINNING BLANKS (GLOSS BLUE/GREEN FLIP FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
5S69MLXF-B	Drop Shot Bass	XS/XC69MLXF	6'9"	ML	X-FAST	1	6-10	1/8-1/2	0.430	4.0	1.7	HKS-4 / HKC-3	\$160
5S70MLF-B	Bass/Walleye	XS70MLF	7'	ML	FAST	1	4-10	1/8-3/8	0.465	4.0	1.5	HKS-5	\$165
5S63MXF-B	Bass/Walleye	XS63MXF	6'3"	M	X-FAST	1	6-10	1/8-1/2	0.444	4.5	1.5	HKS-3	\$155
5S66MF-B	Bass/Walleye	XS66MF	6'6"	M	FAST	1	6-12	3/16-5/8	0.445	4.5	1.4	HKS-4	\$160
5S610MXF-B	Shaky Head Bass	XS610MXF	6'10"	M	X-FAST	1	6-12	1/8-5/16	0.469	4.0	2.0	HKS-4	\$180
5S70MF-B	Bass/Walleye	XS70MF	7'	M	FAST	1	6-12	3/16-5/8	0.465	4.5	1.6	HKS-5	\$170
5S66MHF-B	Bass/Pike	XS66MHF	6'6"	MH	FAST	1	8-14	3/8-3/4	0.500	5.0	1.8	HKS-5	\$170
5S70MHF-B	Bass/Pike	XS70MHF	7'	MH	FAST	1	8-14	3/8-3/4	0.510	5.5	2.1	HKS-5	\$180

SCV GRAPHITE / NSI RESIN CASTING BLANKS (GLOSS FOREST GREEN PEARL FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
5C60MF-G	Bass/Walleye	LEC60MF	6'	M	FAST	1	10-17	1/4-5/8	0.425	4.5	1.4	HKC-2	\$155
5C66MF-G	Bass/Walleye	LEC66MF	6'6"	M	FAST	1	10-17	1/4-5/8	0.460	4.5	1.8	HKC-3	\$175
5C70MF-G	Bass/Walleye	LEC70MF	7'	M	FAST	1	10-17	1/4-5/8	0.465	5.0	2.0	HKC-3	\$185
5C66MHF-G	Bass/Pike	LEC66MHF	6'6"	MH	FAST	1	12-20	3/8-1	0.520	5.0	2.2	HKC-3	\$185
5C70MHF-G	Bass/Pike	LEC70MHF	7'	MH	FAST	1	12-20	3/8-1	0.530	5.5	2.4	HKC-3	\$195
5C70HF-G	Bass/Pike	LEC70HF	7'	H	FAST	1	14-25	3/8-1 1/2	0.555	6.0	2.5	HKC-3 / HKC-4	\$205

SCV GRAPHITE / NSI RESIN CASTING BLANKS (GLOSS BLUE/GREEN FLIP FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
5C66MF-B	Bass/Walleye	XC66MF	6'6"	M	FAST	1	10-17	1/4-5/8	0.460	4.5	1.8	HKC-3	\$175
5C68MXF-B	Bass/Walleye	XC/XS68MXF	6'8"	M	X-FAST	1	8-14	1/4-5/8	0.465	4.5	1.7	HKC-3 / HKS-4	\$170
5C610MXF-B	Shaky Head Bass	XC610MXF	6'10"	M	X-FAST	1	10-14	1/8-5/16	0.48	4	2.3	HKC-3	\$180
5C70MF-B	Bass/Walleye	XC70MF	7'	M	FAST	1	10-17	1/4-5/8	0.465	5.0	2.0	HKC-3	\$185
5C72MM-B	Bass/Walleye	XC72MM	7'2"	M	MODERATE	1	8-14	1/4-5/8	0.428	5.0	1.4	HKC-3	\$170
5C66MHF-B	Bass/Pike	XC66MHF	6'6"	MH	FAST	1	12-20	3/8-1	0.520	5.0	2.2	HKC-3	\$185
5C70MHF-B	Bass/Pike	XC70MHF	7'	MH	FAST	1	12-20	3/8-1	0.530	5.5	2.4	HKC-3	\$195
5C72MHM-B	Bass/Walleye	XC72MHM	7'2"	MH	MODERATE	1	10-20	3/8-1	0.453	5.0	1.9	HKC-3	\$180
5C76MHMF-B	Bass	XC76MHMF	7'6"	MH	MOD. FAST	1	12-25	3/8-1 1/4	0.540	6.5	3.0	HKC-4	\$205
5C70HF-B	Bass/Pike	XC70HF	7'	H	FAST	1	14-25	3/8-1 1/2	0.555	6.0	2.5	HKC-3 / HKC-4	\$205
5C711HMF-B	Bass	XC711HMF	7'11"	H	MOD. FAST	1	14-30	1/2-2	0.635	6.5	4.0	HKC-4 / HKC-5	\$260

SCV GRAPHITE / NSI RESIN SALMON/STEELHEAD BLANKS (GLOSS FOREST GREEN PEARL FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
5S90LM2-G	Spinning- Drift	LES90LM2	9'	L	MODERATE	2	4-8	1/16-3/8	0.425	4.0	2.2	HKS-6 / HKS-7	\$200
5S96LM2-G	Spinning- Drift	LES96LM2	9'6"	L	MODERATE	2	4-8	1/16-3/8	0.430	4.0	2.5	HKS-6 / HKS-7	\$205
5SC90MLF2-G	Spinning/Casting	LES90MLF2	9'	ML	FAST	2	6-10	1/8-5/8	0.445	4.0	2.4	HKS-6 / HKC-6	\$205
5SC96MLF2-G	Spinning/Casting	LES96MLF2	9'6"	ML	FAST	2	6-10	1/8-5/8	0.460	4.0	2.8	HKS-6 / HKC-6	\$210
5SC86MF2-G	Spinning/Casting	LES86MF2	8'6"	M	FAST	2	8-12	1/4-3/4	0.470	4.0	2.4	HKS-6 / HKC-6	\$200
5SC90MF2-G	Spinning/Casting	LES90MF2	9'	M	FAST	2	8-12	1/4-3/4	0.475	4.0	2.7	HKS-6 / HKC-6	\$210
5SC96MF2-G	Spinning/Casting	LES96MF2	9'6"	M	FAST	2	8-12	1/4-3/4	0.480	4.0	3.0	HKS-6 / HKC-6	\$215
5SC86MHF2-G	Spinning/Casting	LES/LEC86MHF2	8'6"	MH	FAST	2	8-17	3/8-1	0.500	4.5	2.6	HKS-6 / HKC-6	\$205
5SC90MHF2-G	Spinning/Casting	LES/LEC90MHF2	9'	MH	FAST	2	8-17	3/8-1	0.515	4.5	3.0	HKS-6 / HKC-6	\$215
5SC96MHF2-G	Spinning/Casting	LES/LEC96MHF2	9'6"	MH	FAST	2	8-17	3/8-1	0.520	4.5	3.5	HKS-6 / HKC-6	\$220
5SC86HF2-G	Spinning/Casting	LES/LEC86HF2	8'6"	H	FAST	2	12-25	1/2-2	0.545	4.5	2.9	HKS-6 / HKC-6	\$210
5SC90HF2-G	Spinning/Casting	LES/LEC90HF2	9'	H	FAST	2	12-25	1/2-2	0.545	4.5	3.1	HKS-6 / HKC-6	\$220
5SC96HF2-G	Spinning/Casting	LES/LEC96HF2	9'6"	H	FAST	2	12-25	1/2-2	0.555	5.0	3.6	HKS-6 / HKC-6	\$225

SC^{IV} GRAPHITE CASTING BLANKS (GLOSS COBALT BLUE PEARL FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
*4C610MLXF	Drop Shot/Finesse	TBC/TBS610MLXF	6'10"	ML	X-FAST	1	6-10	1/8-1/2	0.433	4.0	2.1	HKC-3 / HKS-4	\$160
*4C68MF	Jerkbait	TBC68MF	6'8"	M	FAST	1	10-17	1/4-5/8	0.445	5.5	1.9	HKC-3	\$155
*4C68MXF	Topwater/Shake-Flick/River Jig	TBC/TBS/LTWS68MXF	6'8"	M	X-FAST	1	8-14	1/4-5/8	0.454	4.0	1.9	HKC-3	\$160
*4C610MXF	Shaky Head	TBC610MXF	6'10"	M	X-FAST	1	10-17	1/4-5/16	0.483	5.0	2.6	HKC-3	\$165
*4C71MF	Plastics	TBC71MF	7'1"	M	FAST	1	10-17	1/4-5/8	0.453	5.0	2.2	HKC-3	\$165
*4C72MM	Small Cranker	TBC72MM	7'2"	M	MODERATE	1	8-14	1/4-5/8	0.422	4.5	1.6	HKC-3	\$140
*4C68MHF	Jig-N-Worm	TBC68MHF	6'8"	MH	FAST	1	12-20	3/8-1	0.506	5.5	2.4	HKC-3	\$165
*4C70MHM	Bounce-N-Troll	LTWC70MHM	7'	MH	MODERATE	1	6-12	1/2-3	0.440	5.0	2.0	HKC-4	\$150
*4C71MHF	Spinner Bait/Jig-N-Worm	TBC71MHF	7'1"	MH	FAST	1	12-20	3/8-1	0.515	5.5	2.7	HKC-3	\$175
*4C71MHXF	Swim Jig Finesse	TBC71MHXF	7'1"	MH	X-FAST	1	12-20	1/4-3/4	0.514	5.0	2.6	HKC-3	\$175
*4C73MHF	Carolina Rig	TBC73MHF	7'3"	MH	FAST	1	12-25	3/8-1 1/4	0.527	5.5	3.0	HKC-4	\$180
*4C76MHMF	Pitchin'/Lite Flippin'	TBC76MHMF	7'6"	MH	MOD. FAST	1	12-25	3/8-11/4	0.553	5.0	3	HKC-5	\$185
*4C78MHM	Big Cranker	TBC78MHM	7'8"	MH	MODERATE	1	10-20	3/8-1	0.455	5.0	2.4	HKC-5	\$160
*4C74HF	Stop-N-Frog/Swim Jig	TBC74HF	7'4"	H	FAST	1	14-25	3/8-11/2	0.561	6.0	3.0	HKC-4 / HKC-5	\$190
*4C79HMF	Punchin'	TBC79HMF	7'9"	H	MOD. FAST	1	14-30	1/2-2	0.600	5.5	3.0	HKC-4 / HKC-5	\$200
*4C710HF	Swim Bait	TBC710HF	7'10"	H	FAST	1	14-30	1-4	0.613	6.0	3.6	HKC-4 / HKC-5	\$210
*4C710HM	Magnum Cranker	TBC710HM	7'10"	H	MODERATE	1	12-25	1/2-1 3/8	0.520	5.5	2.5	HKC-4 / HKC-5	\$170
*4C711HMF	Flippin'	TBC711HMF	7'11"	H	MOD. FAST	1	14-30	1/2-2	0.583	6.0	3.3	HKC-4 / HKC-5	\$200
*4C73XHF	Big Jig	TBC73XHF	7'3"	XH	FAST	1	17-30	1-21/2	0.601	6.0	3.0	HKC-4 / HKC-5	\$195

* New for 2012

SC^{IV} GRAPHITE SPINNING BLANKS (GLOSS COBALT BLUE PEARL FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
*4S70LF	Finesse	LTWS70LF	7'	L	FAST	1	4-8	1/16-1/4	0.394	4.0	1.5	HKS-4	\$140
*4S63MLXF	Vertical Jig	LTWS63MLXF	6'3"	ML	X-FAST	1	4-8	1/16-3/8	0.404	4.0	1.6	HKS-4	\$140
*4S66MLF	Jig-N-Rig	LTWS66MLF	6'6"	ML	FAST	1	4-10	1/8-3/8	0.440	4.0	1.4	HKS-4	\$140
*4S66MLF2	Jig-N-Rig	LTWS66MLF2	6'6"	ML	FAST	2	4-10	1/8-3/8	0.451	4.0	1.5	HKS-4	\$150
*4S68MLF	Split Shot	TBS68MLF	6'8"	ML	FAST	1	4-10	1/8-3/8	0.445	4.0	1.5	HKS-5	\$140
*4S70MLF	Riggin'	LTWS70MLF	7'	ML	FAST	1	4-10	1/8-3/8	0.466	4.0	1.5	HKS-5	\$150
*4S70MLF2	Riggin'	LTWS70MLF2	7'	ML	FAST	2	4-10	1/8-3/8	0.454	4.0	1.7	HKS-5	\$160
*4S76MLXF	Slip-N-Rig	LTWS76MLXF	7'6"	ML	X-FAST	1	4-10	1/8-3/8	0.484	4.0	1.9	HKS-5	\$155
*4S76MLXF2	Slip-N-Rig	LTWS76MLXF2	7'6"	ML	X-FAST	2	4-10	1/8-3/8	0.457	4.0	2.0	HKS-5	\$165
*4S80MLF2	Drift-N-Float	LTWS80MLF2	8'	ML	FAST	2	4-10	1/8-3/8	0.422	4.5	1.8	HKS-5	\$170
*4S59MXF	Classic Jig	LTWS59MXF	5'9"	M	X-FAST	1	6-10	1/8-1/2	0.415	4.0	1.2	HKS-4	\$130
*4S510MXF	Skippin'	TBS510MXF	5'10"	M	X-FAST	1	8-12	3/16-5/8	0.419	4.0	1.4	HKS-4	\$130
*4S63MXF	Vertical Jig	LTWS63MXF	6'3"	M	X-FAST	1	6-10	1/8-1/2	0.435	4.5	1.4	HKS-4	\$140
*4S610MXF	Shaky Head	TBS610MXF	6'10"	M	X-FAST	1	6-12	1/8-5/16	0.474	4.5	2.3	HKS-5	\$160
*4S71MF	Plastics	TBS71MF	7'1"	M	FAST	1	6-12	3/16-5/8	0.453	5.5	2.1	HKS-5	\$160
*4S71MHF	Power Spin	TBS71MHF	7'1"	MH	FAST	1	8-14	3/8-3/4	0.513	5.5	2.6	HKS-6	\$170

* New for 2012

SC^{IV} GRAPHITE MUSKY BLANKS (GLOSS COBALT BLUE PEARL FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
*4M73MHF	Downsizer- Small Baits	LTMU/TMU73MHF	7'3"	MH	FAST	1	30-50	3/4-2 1/2	0.595	6.5	3.5	HKC-7	\$210
*4M80MHF	Top-N-Tail- Topwater & Bucktails	LTMU/TMU80MHF	8'	MH	FAST	1	30-50	3/4-3	0.595	7.5	3.9	HKC-8	\$230
*4M86MHF	Long Ranger- Topwater & Bucktails	LTMU/TMU86MHF	8'6"	MH	FAST	1	30-50	3/4-3	0.600	7.5	4.2	HKC-8	\$250
*4M79HMF	Lip Stick- Large Crankbaits	LTMU/TMU79HMF	7'9"	H	MOD. FAST	1	30-65	2-6	0.589	7.5	3.9	HKC-8	\$230
*4M86HF	Sling Blade- Large Bucktails	LTMU/TMU86HF	8'6"	H	FAST	1	40-65	2-6	0.645	7.0	5.7	HKC-8	\$270
*4M90HF	Big Nasty- Large Bucktails & Rubber	LTMU/TMU90HF	9'	H	FAST	1	50-80	3-8	0.657	7.5	6.9	HKC-8	\$280
*4M69XHF	Classic Jerk- Jerkbait	LTMU/TMU69XHF	6'9"	XH	FAST	1	50-80	3-8	0.645	9.0	3.5	HKC-7	\$220
*4M76XHF	The Jerk- Jerkbait	LTMU/TMU76XHF	7'6"	XH	FAST	1	50-80	3-8	0.655	9.0	4.8	HKC-8	\$245
*4M86XHF	Big Dawg- Large Wood & Plastic	LTMU/TMU86XHF	8'6"	XH	FAST	1	50-80	4-12	0.670	9.0	5.8	HKC-8	\$280

* New for 2012

SG^{III} GRAPHITE SPINNING BLANKS (CARBON PEARL FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
3S46ULF	Trout/Panfish	AVS46ULF	4'6"	UL	FAST	1	2-6	1/32-3/16	0.275	3.5	0.4	HKS-1	\$60
3S50ULF	Trout/Panfish	AVS50ULF	5'	UL	FAST	1	2-6	1/32-3/16	0.305	4.0	0.6	HKS-1	\$65
3S56ULF2	Trout/Panfish	AVS56ULF2	5'6"	UL	FAST	2	2-6	1/32-3/16	0.275	4.0	0.7	HKS-1	\$80
3S60ULF	Trout/Panfish	AVS60ULF	6'	UL	FAST	1	2-6	1/32-3/16	0.325	3.5	0.8	HKS-2	\$70
3S60ULF2	Trout/Panfish	AVS60ULF2	6'	UL	FAST	2	2-6	1/32-3/16	0.285	4.0	0.8	HKS-2	\$80
3S66ULF	Trout/Panfish	AVS66ULF	6'6"	UL	FAST	1	2-6	1/32-3/16	0.330	3.5	0.9	HKS-2	\$75
3S66ULF2	Trout/Panfish	AVS66ULF2	6'6"	UL	FAST	2	2-6	1/32-3/16	0.320	4.0	1.0	HKS-2	\$85
3S70ULF	Trout/Panfish	AVS70ULF	7'	UL	FAST	1	2-6	1/32-3/16	0.350	4.0	1.6	HKS-2	\$80
3S70ULM2	Trout/Panfish	AVS70ULM2	7'	UL	MODERATE	2	2-6	1/32-3/16	0.310	4.0	1.5	HKS-2	\$90
3S60LF	Trout/Panfish/Walleye	AVS60LF	6'	L	FAST	1	4-8	1/16-1/4	0.330	4.0	1.0	HKS-2	\$80
3S66LF	Trout/Panfish/Walleye	AVS66LF	6'6"	L	FAST	1	4-8	1/16-1/4	0.350	3.5	1.2	HKS-2	\$85
3S66LF2	Trout/Panfish/Walleye	AVS66LF2	6'6"	L	FAST	2	4-8	1/16-1/4	0.335	4.0	1.1	HKS-2	\$95
3S60MLF	Bass/Walleye	AVS60MLF	6'	ML	FAST	1	4-10	1/8-3/8	0.385	4.5	1.3	HKS-3	\$85
3S63MLXF	Bass/Walleye	AVS63MLXF	6'3"	ML	X-FAST	1	4-8	1/16-3/8	0.405	4.0	1.6	HKS-3	\$85
3S66MLF	Bass/Walleye	AVS66MLF	6'6"	ML	FAST	1	4-10	1/8-3/8	0.400	4.5	1.5	HKS-4	\$90
3S66MLF2	Bass/Walleye	AVS66MLF2	6'6"	ML	FAST	2	4-10	1/8-3/8	0.415	4.5	1.6	HKS-4	\$100
3S69MLXF	Drop Shot Bass	AVS69MLXF	6'9"	ML	X-FAST	1	6-10	1/8-3/8	0.400	4.0	1.7	HKS-4	\$95
3S70MLF	Bass/Walleye	AVS70MLF	7'	ML	FAST	1	4-10	1/8-3/8	0.410	4.5	1.8	HKS-4 / HKS-5	\$95
3S70MLF2	Bass/Walleye	AVS70MLF2	7'	ML	FAST	2	4-10	1/8-3/8	0.420	4.0	1.8	HKS-4 / HKS-5	\$105
3S76MLXF	Walleye	AVS76MLXF	7'6"	ML	X-FAST	1	4-10	1/8-3/8	0.420	4.0	2.0	HKS-5	\$100
3S76MLXF2	Walleye	AVS76MLXF2	7'6"	ML	X-FAST	2	4-10	1/8-3/8	0.430	4.0	2.0	HKS-5	\$110
3S80MLM2	Float-N-Fly Bass	AVS80MLM2	8'	ML	MODERATE	2	4-8	1/16-5/16	0.400	4.5	1.7	HKS-5 / HKS-9	\$105
3S59MXF	Bass/Walleye	AVS59MXF	5'9"	M	X-FAST	1	6-10	1/8-1/2	0.485	4.5	1.4	HKS-3	\$85
3S60MF	Bass/Walleye	AVS60MF	6'	M	FAST	1	6-12	3/16-5/8	0.465	5.0	1.4	HKS-3	\$85
3S63MXF	Bass/Walleye	AVS63MXF	6'3"	M	X-FAST	1	6-10	1/8-1/2	0.505	4.5	1.7	HKS-3	\$85
3S66MF	Bass/Walleye	AVS66MF	6'6"	M	FAST	1	6-12	3/16-5/8	0.500	5.0	1.6	HKS-4	\$95
3S66MF2	Bass/Walleye	AVS66MF2	6'6"	M	FAST	2	6-12	3/16-5/8	0.515	4.0	1.8	HKS-4	\$105
3S68MXF	Bass/Walleye	AVS68MXF	6'8"	M	X-FAST	1	6-12	3/16-5/8	0.515	4.5	1.9	HKS-4	\$95
3S70MF	Bass/Walleye	AVS70MF	7'	M	FAST	1	6-12	3/16-5/8	0.510	4.5	1.9	HKS-5	\$100
3S70MF2	Bass/Walleye	AVS70MF2	7'	M	FAST	2	6-12	3/16-5/8	0.530	4.0	1.9	HKS-5	\$110
3S66MHF	Bass/Pike	AVS66MHF	6'6"	MH	FAST	1	8-14	3/8-3/4	0.510	5.5	1.9	HKS-4 / HKS-5	\$100
3S66MHF2	Bass/Pike	AVS66MHF2	6'6"	MH	FAST	2	8-14	3/8-3/4	0.525	4.5	2.0	HKS-4 / HKS-5	\$110
3S70MHF	Bass/Pike	AVS70MHF	7'	MH	FAST	1	8-14	3/8-3/4	0.530	6.0	2.3	HKS-5	\$105

SC^{III} GRAPHITE SPINNING BLANKS (FUCHSIA METALLIC FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
3S60LF-F	Trout/Panfish/Walleye	APS60LF	6'	L	FAST	1	4-8	1/16-1/4	0.330	4.0	1.0	HKS-2	\$80
3S63MLXF-F	Bass/Walleye	APS63MLXF	6'3"	ML	X-FAST	1	4-8	1/16-3/8	0.405	4.0	1.6	HKS-3	\$85
3S66MLF-F	Bass/Walleye	APS66MLF	6'6"	ML	FAST	1	4-10	1/8-3/8	0.400	4.5	1.5	HKS-4	\$90
3S66MLF2-F	Bass/Walleye	APS66MLF2	6'6"	ML	FAST	2	4-10	1/8-3/8	0.415	4.5	1.6	HKS-4	\$100
3S68MXF-F	Bass/Walleye	APS68MXF	6'8"	M	X-FAST	1	6-12	3/16-5/8	0.515	4.5	1.9	HKS-4	\$95
3S70MF-F	Bass/Walleye	APS70MF	7'	M	FAST	1	6-12	3/16-5/8	0.510	4.5	1.9	HKS-5	\$100

SC^{III} GRAPHITE CASTING BLANKS (CARBON PEARL FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
3C66MLF	Bass/Walleye	AVC66MLF	6'6"	ML	FAST	1	8-12	3/16-1/2	0.410	5.0	1.7	HKC-3	\$95
3C69MLXF	Drop Shot Bass	AVC69MLXF	6'9"	ML	X-FAST	1	6-10	1/8-1/2	0.410	4.0	1.8	HKC-3	\$100
3C60MF	Bass	AVC60MF	6'	M	FAST	1	10-17	1/4-5/8	0.475	5.5	1.6	HKC-2	\$90
3C62MXF	Bass/Walleye	AVC62MXF	6'2"	M	X-FAST	1	8-14	1/4-5/8	0.505	4.5	1.7	HKC-2	\$95
3C66MF	Bass	AVC66MF	6'6"	M	FAST	1	10-17	1/4-5/8	0.505	5.5	1.8	HKC-3	\$100
3C66MM	Crankbait Bass/Walleye	AVC66MM	6'6"	M	MODERATE	1	8-14	1/4-5/8	0.405	4.5	1.3	HKC-3	\$90
3C68MXF	Bass/Walleye	AVC68MXF	6'8"	M	X-FAST	1	8-14	1/4-5/8	0.520	4.5	2.0	HKC-3	\$100
3C70MF	Bass	AVC70MF	7'	M	FAST	1	10-17	1/4-5/8	0.515	5.5	2.0	HKC-3	\$105
3C70MM	Crankbait Bass/Walleye	AVC70MM	7'	M	MODERATE	1	8-14	1/4-5/8	0.420	4.5	1.4	HKC-3	\$95
3C60MHF	Bass/Pike/Saltwater	AVC60MHF	6'	MH	FAST	1	12-20	3/8-1	0.515	5.5	2.0	HKC-2	\$95
3C66MHF	Bass/Pike/Saltwater	AVC66MHF	6'6"	MH	FAST	1	12-20	3/8-1	0.525	6.5	2.3	HKC-3	\$105
3C66MHM	Crankbait Bass	AVC66MHM	6'6"	MH	MODERATE	1	10-20	3/8-1	0.430	5.0	1.7	HKC-3	\$95
3C70MHF	Bass/Pike/Saltwater	AVC70MHF	7'	MH	FAST	1	12-20	3/8-1	0.535	6.5	2.6	HKC-3	\$110
3C70MHM	Crankbait Bass	AVC70MHM	7'	MH	MODERATE	1	10-20	3/8-1	0.440	5.0	1.9	HKC-3	\$100
3C70MHXF	Bass	AVC70MHXF	7'	MH	X-FAST	1	12-17	5/16-3/4	0.535	5.0	2.6	HKC-3	\$110
3C76MHMF	Flippin'/Pitchin' Bass	AVC76MHMF	7'6"	MH	MOD. FAST	1	12-25	3/8-1 1/4	0.560	6.0	3.3	HKC-4	\$130
3C66HF	Bass/Pike/Saltwater	AVC66HF	6'6"	H	FAST	1	14-25	3/8-1 1/2	0.550	6.0	2.5	HKC-3	\$110
3C70HF	Bass/Pike/Saltwater	AVC70HF	7'	H	FAST	1	14-25	3/8-1 1/2	0.565	7.0	2.7	HKC-4	\$115
3C70HM	Crankbait Bass	AVC70HM	7'	H	MODERATE	1	12-25	1/2-1 3/8	0.465	6.5	2.5	HKC-3	\$110
3C710HMF	Flippin' Bass	AVC710HMF	7'10"	H	MOD. FAST	1-TEL.	14-30	1/2-2	0.645	7.5	4.1	HKC-4	\$180

SC^{III} GRAPHITE CASTING BLANKS (FUCHSIA METALLIC FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
3C66MF-F	Bass	APC66MF	6'6"	M	FAST	1	10-17	1/4-5/8	0.505	5.5	1.8	HKC-3	\$100
3C68MXF-F	Bass	APC68MXF	6'8"	M	X-FAST	1	8-14	1/4-5/8	0.520	4.5	2.0	HKC-3	\$100
3C70MF-F	Bass	APC70MF	7'	M	FAST	1	10-17	1/4-5/8	0.515	5.5	2.0	HKC-3	\$105
3C66MHF-F	Bass/Pike/Saltwater	APC66MHF	6'6"	MH	FAST	1	12-20	3/8-1	0.525	6.5	2.3	HKC-3	\$105

SC^{III} GRAPHITE SALMON/STEELHEAD BLANKS (CARBON PEARL FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
3S106ULS2	Spinning- Noodle	AVS106ULS2	10'6"	UL	SLOW	2	2-6	1/16-1/4	0.415	4.0	2.0	HKS-6 / HKS-7	\$135
3S90LM2	Spinning- Drift	AVS90LM2	9'	L	MODERATE	2	4-8	1/16-3/8	0.440	4.0	2.5	HKS-6 / HKS-7	\$130
3S96LM2	Spinning- Drift	AVS96LM2	9'6"	L	MODERATE	2	4-8	1/16-3/8	0.445	4.0	2.7	HKS-6 / HKS-7	\$135
3S110LM2	Spinning- Drift	AVS110LM2	11'	L	MODERATE	2	4-8	1/16-3/8	0.445	5.0	2.6	HKS-6 / HKS-9	\$140
3SC90MLF2	Spinning/Casting	AVS/AVC90MLF2	9'	ML	FAST	2	6-10	1/8-5/8	0.460	4.0	2.6	HKS-6 / HKC-6	\$130
3SC96MLF2	Spinning/Casting	AVS/AVC96MLF2	9'6"	ML	FAST	2	6-10	1/8-5/8	0.470	4.0	3.0	HKS-6 / HKC-6	\$135
3SC106MLF2	Spinning/Casting	AVS/AVC106MLF2	10'6"	ML	FAST	2	6-10	1/8-5/8	0.475	4.0	3.4	HKS-6 / HKC-6	\$140
3CP130MLM2	Center Pin	AVS130MLM2	13'	ML	MODERATE	2	6-10	1/4-5/8	0.500	4.0	3.5	HKS-9	\$150
3CP150MLM3	Center Pin	AVS150MLM3	15'	ML	MODERATE	3	6-10	1/4-5/8	0.580	4.0	4.3	HKS-9	\$170
3SC86MF2	Spinning/Casting	AVS/AVC86MF2	8'6"	M	FAST	2	8-12	1/4-3/4	0.480	4.5	2.6	HKS-6 / HKC-6	\$130
3SC90MF2	Spinning/Casting	AVS/AVC90MF2	9'	M	FAST	2	8-12	1/4-3/4	0.485	4.5	2.9	HKS-6 / HKC-6	\$135
3SC96MF2	Spinning/Casting	AVS/AVC96MF2	9'6"	M	FAST	2	8-12	1/4-3/4	0.495	4.5	3.2	HKS-6 / HKC-6	\$140
3SC106MF2	Spinning/Casting	AVS/AVC106MF2	10'6"	M	FAST	2	8-12	1/4-3/4	0.515	4.5	4.0	HKS-6 / HKC-6	\$150
3SC86MHF2	Spinning/Casting	AVS/AVC86MHF2	8'6"	MH	FAST	2	8-17	3/8-1	0.515	5.0	2.9	HKS-6 / HKC-6	\$135
3SC90MHF2	Spinning/Casting	AVS/AVC90MHF2	9'	MH	FAST	2	8-17	3/8-1	0.525	5.0	3.2	HKS-6 / HKC-6	\$140
3SC96MHF2	Spinning/Casting	AVS/AVC96MHF2	9'6"	MH	FAST	2	8-17	3/8-1	0.535	5.0	3.4	HKS-6 / HKC-6	\$145
3SC86HF2	Spinning/Casting	AVS/AVC86HF2	8'6"	H	FAST	2	12-25	1/2-2	0.600	5.5	3.2	HKS-6 / HKC-6	\$140
3SC90HF2	Spinning/Casting	AVS/AVC90HF2	9'	H	FAST	2	12-25	1/2-2	0.550	5.0	3.3	HKS-6 / HKC-6	\$145
3C90HM2	Casting	AVC90HM2	9'	H	MODERATE	2	12-25	1/2-2	0.555	5.0	3.5	HKC-6	\$145
3SC96HF2	Spinning/Casting	AVS/AVC96HF2	9'6"	H	FAST	2	12-25	1/2-2	0.570	5.0	3.6	HKS-6 / HKC-6	\$150
3C106HM2	Casting	AVC106HM2	10'6"	H	MODERATE	2	12-25	1/2-2	0.550	5.0	3.9	HKC-6	\$170

SC^{III} GRAPHITE CARP BLANKS (CARBON PEARL FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
3CS96MMF2	Spinning	ACS96MMF2	9'6"	M	MOD. FAST	2	8-25	1/2-3	0.572	5.5	3.9	HKS-9	\$150
3CS120MHMF2	Spinning	ACS120MHMF2	12'	MH	MOD. FAST	2	8-25	1/2-4	0.614	6.5	7.5	HKS-9	\$200

SC^{II} GRAPHITE SPINNING BLANKS (GLOSS BLACK PEARL FINISH)

MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
2S46ULM	Trout/Panfish	PS46ULM	4'6"	UL	MODERATE	1	2-6	1/16-1/4	0.265	4.0	0.5	HKS-1	\$50
2S50ULM	Trout/Panfish	PS50ULM	5'	UL	MODERATE	1	2-6	1/16-1/4	0.280	4.0	0.6	HKS-1	\$55
2S56ULF2	Trout/Panfish	PS56ULF2	5'6"	UL	FAST	2	2-6	1/32-3/16	0.280	4.0	0.7	HKS-1	\$65
2S60ULF	Trout/Panfish	PS60ULF	6'	UL	FAST	1	2-6	1/32-3/16	0.305	4.0	0.8	HKS-2	\$60
2S60ULF2	Trout/Panfish	PS60ULF2	6'	UL	FAST	2	2-6	1/32-3/16	0.285	4.5	0.9	HKS-2	\$65
2S66ULF	Trout/Panfish	PS66ULF	6'6"	UL	FAST	1	2-6	1/32-3/16	0.315	4.0	1.0	HKS-2	\$60
2S66ULF2	Trout/Panfish	PS66ULF2	6'6"	UL	FAST	2	2-6	1/32-3/16	0.310	4.5	1.1	HKS-2	\$70
2S70ULF2	Trout/Panfish	PS70ULF2	7'	UL	FAST	2	2-6	1/32-3/16	0.320	4.5	1.1	HKS-2	\$75
2S56LF	Trout/Walleye/Panfish	PS56LF	5'6"	L	FAST	1	4-8	1/16-5/16	0.315	4.5	0.8	HKS-1	\$60
2S60LF	Trout/Walleye/Panfish	PS60LF	6'	L	FAST	1	4-8	1/16-5/16	0.330	4.5	1.0	HKS-2	\$65
2S60LF4	Trout/Walleye/Panfish	PS60LF4	6'	L	FAST	4	4-8	1/16-5/16	0.310	4.0	1.1	HKS-2	\$100
2S66LF	Trout/Walleye/Panfish	PS66LF	6'6"	L	FAST	1	4-8	1/16-5/16	0.345	4.5	1.2	HKS-2	\$65
2S66LF2	Trout/Walleye/Panfish	PS66LF2	6'6"	L	FAST	2	4-8	1/16-5/16	0.335	4.5	1.3	HKS-2	\$75
2S86LM2	Float-N-Fly	PS86LM2	8'6"	L	MODERATE	2	4-8	1/16-5/16	0.385	4.5	1.7	HKS-6	\$85
2S60MLF	Bass/Walleye	PS60MLF	6'	ML	FAST	1	4-10	1/8-1/2	0.390	5.0	1.4	HKS-3	\$70
2S60MLF2	Bass/Walleye	PS60MLF2	6'	ML	FAST	2	4-10	1/8-1/2	0.445	4.5	1.7	HKS-3	\$75
2S66MLF	Bass/Walleye	PS66MLF	6'6"	ML	FAST	1	4-10	1/8-1/2	0.395	4.5	1.6	HKS-4	\$70
2S66MLF2	Bass/Walleye	PS66MLF2	6'6"	ML	FAST	2	4-10	1/8-1/2	0.410	4.5	1.5	HKS-4	\$80
2S66MLF3	Bass/Walleye	PS66MLF3	6'6"	ML	FAST	3	4-10	1/8-1/2	0.470	4.0	2.0	HKS-4	\$100
2S70MLF	Bass/Walleye	PS70MLF	7'	ML	FAST	1	4-10	1/8-1/2	0.435	5.0	1.8	HKS-4 / HKS-5	\$75
2S70MLF2	Bass/Walleye	PS70MLF2	7'	ML	FAST	2	4-10	1/8-1/2	0.485	4.5	1.9	HKS-4 / HKS-5	\$85
2S76MLF	Bass/Walleye	PS76MLF	7'6"	ML	FAST	1	4-10	1/8-1/2	0.450	4.5	2.1	HKS-5	\$80
2S56MF	Bass/Walleye	PS56MF	5'6"	M	FAST	1	6-12	1/4-5/8	0.440	5.5	1.1	HKS-1	\$65
2S60MF	Bass/Walleye	PS60MF	6'	M	FAST	1	6-12	1/4-5/8	0.465	5.0	1.4	HKS-3	\$70
2S60MF2	Bass/Walleye/Pike	PS60MF2	6'	M	FAST	2	6-12	1/4-5/8	0.475	4.5	1.5	HKS-3	\$80
2S66MF	Bass/Walleye/Pike	PS66MF	6'6"	M	FAST	1	6-12	1/4-5/8	0.495	5.0	1.6	HKS-4	\$75
2S66MF2	Bass/Walleye/Pike	PS66MF2	6'6"	M	FAST	2	6-12	1/4-5/8	0.530	4.5	1.8	HKS-4	\$85
2S70MF	Bass/Walleye/Pike	PS70MF	7'	M	FAST	1	6-12	1/4-5/8	0.505	5.0	1.8	HKS-5	\$80
2S70MF2	Bass/Walleye/Pike	PS70MF2	7'	M	FAST	2	6-12	1/4-5/8	0.555	4.5	2.0	HKS-5	\$90
2S70MF3	Bass/Walleye/Saltwater	PS70MF3	7'	M	FAST	3	6-12	1/4-5/8	0.535	4.5	2.3	HKS-5	\$110
2S60MHF	Bass/Pike/Saltwater	PS60MHF	6'	MH	FAST	1	8-14	3/8-3/4	0.475	6.0	1.7	HKS-4	\$75
2S66MHF	Bass/Pike/Saltwater	PS66MHF	6'6"	MH	FAST	1	8-14	3/8-3/4	0.510	6.0	1.9	HKS-5	\$80
2S66MHF2	Bass/Pike/Saltwater	PS66MHF2	6'6"	MH	FAST	2	8-17	1/2-1	0.540	5.0	2.1	HKS-5	\$90
2S70MHF	Bass/Pike/Saltwater	PS70MHF	7'	MH	FAST	1	8-14	3/8-3/4	0.520	6.0	2.2	HKS-5	\$85
2S70HF	Bass/Pike/Saltwater	PS70HF	7'	H	FAST	1	10-20	1/2-1-1/2	0.540	6.0	2.9	HKS-6	\$90
2S70HF2	Bass/Pike/Saltwater	PS70HF2	7'	H	FAST	2	10-20	1/2-1-1/2	0.570	5.0	3.1	HKS-6	\$100
2S70XHF	Musky/Pike/Saltwater	PS70XHF	7'	XH	FAST	1	12-25	3/4-2	0.580	7.0	3.3	HKS-6	\$100

SC^{II} GRAPHITE CASTING BLANKS (GLOSS BLACK PEARL FINISH)

MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
2C76LM	Trout Trolling	PC76LM	7'6"	L	MODERATE	1	4-10	1/16-3/8	0.445	4.5	2.2	HKC-4	\$75
2C60MLF2	Bass/Walleye	PC60MLF2	6'	ML	FAST	2	4-10	1/8-1/2	0.425	5.0	1.5	HKC-2	\$75
2C66MLF	Bass/Walleye	PC66MLF	6'6"	ML	FAST	1	8-14	3/16-5/8	0.415	5.5	2.0	HKC-3	\$75
2C70MLF	Bass/Walleye	PC70MLF	7'	ML	FAST	1	8-14	3/16-5/8	0.450	5.5	2.1	HKC-3	\$80
2C56MF	Bass	PC56MF	5'6"	M	FAST	1	8-14	1/4-5/8	0.450	5.5	1.3	HKC-1	\$70
2C60MF	Bass/Walleye/Pike	PC60MF	6'	M	FAST	1	10-17	1/4-3/4	0.480	5.5	1.6	HKC-2	\$75
2C66MF	Bass/Walleye/Pike	PC66MF	6'6"	M	FAST	1	10-17	1/4-3/4	0.510	6.0	2.0	HKC-3	\$80
2C66MF2	Bass/Walleye/Pike	PC66MF2	6'6"	M	FAST	2	10-17	1/4-3/4	0.535	4.5	1.9	HKC-3	\$90
2C66MM	Crankbait	PC66MM	6'6"	M	MODERATE	1	8-14	1/4-5/8	0.420	5.0	1.4	HKC-3	\$75
2C70MF	Bass/Walleye/Pike	PC70MF	7'	M	FAST	1	10-17	1/4-3/4	0.520	6.0	2.2	HKC-3	\$85
2C70MM	Crankbait	PC70MM	7'	M	MODERATE	1	8-14	1/4-5/8	0.430	5.0	1.5	HKC-3	\$80
2C60MHF	Bass/Pike/Saltwater	PC60MHF	6'	MH	FAST	1	10-20	3/8-1	0.485	6.0	1.8	HKC-2	\$80
2C66MHF	Bass/Pike/Saltwater	PC66MHF	6'6"	MH	FAST	1	10-20	3/8-1	0.540	6.5	2.2	HKC-3	\$85
2C66MHF2	Bass/Pike/Saltwater	PC66MHF2	6'6"	MH	FAST	2	10-20	3/8-1	0.565	5.0	2.4	HKC-3	\$95
2C66MHM	Crankbait	PC66MHM	6'6"	MH	MODERATE	1	10-20	3/8-1	0.445	6.0	1.9	HKC-3	\$80
2C70MHF	Bass/Pike/Saltwater	PC70MHF	7'	MH	FAST	1	10-20	3/8-1	0.555	6.5	2.7	HKC-3	\$90
2C70MHM	Crankbait	PC70MHM	7'	MH	MODERATE	1	10-20	3/8-1	0.460	5.5	2.3	HKC-3	\$85
2C66HF	Bass/Pike/Saltwater	PC66HF	6'6"	H	FAST	1	12-25	1/2-1 1/2	0.575	6.5	3.0	HKC-3	\$90
2C610HMF	Bass/Pike/Saltwater	PC610HMF	6'10"	H	MOD. FAST	1	12-25	1/4-1	0.605	6.5	2.6	HKC-3	\$85
2C70HF	Bass/Pike/Saltwater	PC70HF	7'	H	FAST	1	12-25	1/2-1 1/2	0.585	6.5	3.3	HKC-4	\$95
2C70HF2	Bass/Pike/Saltwater	PC70HF2	7'	H	FAST	2	12-25	1/2-1 1/2	0.645	7.0	3.2	HKC-4	\$105
2C70HM	Crankbait	PC70HM	7'	H	MODERATE	1	12-25	1/2-1 3/8	0.480	6.0	2.6	HKC-3	\$90
2C76HF	Bass Flippin' Stick	PC76HF	7'6"	H	FAST	1	12-25	1/2-1 1/2	0.585	6.5	3.5	HKC-4	\$110

SC^{II} GRAPHITE MUSKY/SALTWATER BLANKS (GLOSS BLACK PEARL FINISH)

MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
2M610MF	Musky-Small Bucktail/SW	PM610MF	6'10"	M	FAST	1	17-30	1/2-2	0.600	8.0	3.5	HKC-5	\$100
2M66MHF	Musky-All Purpose/SW	PM66MHF	6'6"	MH	FAST	1	20-50	3/4-3	0.655	8.5	3.4	HKC-7	\$105
2M70MHF	Musky-All Purpose/SW	PM70MHF	7'	MH	FAST	1	20-50	3/4-3	0.670	8.5	3.8	HKC-7	\$110
2M70MHF2	Musky-All Purpose/SW	PM70MHF2	7'	MH	FAST	2	20-50	3/4-3	0.600	8.0	3.7	HKC-7	\$115
2M76MHF	Musky-All Purpose/SW	PM76MHF	7'6"	MH	FAST	1	20-50	3/4-3	0.715	7.0	5.4	HKC-7 / HKC-8	\$125
2M80MHF	Musky-All Purpose/SW	PM80MHF	8'	MH	FAST	1	20-50	3/4-3	0.735	7.5	5.8	HKC-8	\$135
2M70HF2	Musky-Jerkbait/SW	PM70HF2	7'	H	FAST	2	30-65	2-6	0.655	11.0	4.3	HKC-7	\$120
2M76HF	Musky-Jerkbait/SW	PM76HF	7'6"	H	FAST	1	30-65	2-6	0.695	9.0	5.6	HKC-7 / HKC-8	\$130
2M80HF	Musky- Large bucktail/SW	PM80HF	8'	H	FAST	1	30-65	2-6	0.705	9.0	6.2	HKC-8	\$135
2M86HF	Musky-Large bucktail/SW	PM86HF	8'6"	H	FAST	1	30-65	2-6	0.722	9.0	7.0	HKC-8	\$145
2M63XHF	Musky-Hvy. Jerkbait/SW	PM63XHF	6'3"	XH	FAST	1	36-80	3-8	0.640	10.0	4.2	HKC-7	\$105
2M69XHF	Musky-Hvy. Jerkbait/SW	PM69XHF	6'9"	XH	FAST	1	36-80	3-8	0.655	10.5	4.7	HKC-7	\$115
2M86XHF	Musky- Hvy. Jerkbait/SW	PM86XHF	8'6"	XH	FAST	1	36-80	4-10	0.720	9.5	6.8	HKC-8	\$150
2M79XXXHF	Musky-Unlimited Wt./SW	PM79XXXHF	7'9"	XXXH	FAST	1	65-100	8-30	0.715	13.5	7.4	HKC-8	\$160

SC^{II} GRAPHITE SALMON/STEELHEAD BLANKS (SATIN BLACK FINISH)

MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
2S106ULS2	Noodle	WS106ULS2	10'6"	UL	SLOW	2	2-6	1/16-1/4	0.420	5.0	2.2	HKS-7	\$90
2S90LM2	Drift	WS90LM2	9'	L	MODERATE	2	4-8	1/8-3/8	0.435	5.5	2.6	HKS-7	\$90
2S116LM2	Drift/Float	WS116LM2	11'6"	L	MODERATE	2	4-10	1/16-1/2	0.455	6.5	3.1	HKS-9	\$100
2S130LM2	Float	WS130LM2	13'	L	MODERATE	2	2-6	1/16-3/8	0.470	5.0	3.3	HKS-9	\$110
2S76MLF2	Spinning	WS76MLF2	7'6"	ML	FAST	2	6-12	1/8-1/2	0.495	5.0	2.0	HKS-5	\$85
2C106MLMF2	Drift	WC/WS106MLMF2	10'6"	ML	MOD. FAST	2	8-14	1/8-1/2	0.465	6.0	3.3	HKC-6 / HKS-6	\$115
2C80MXF	Plugging	WC80MXF	8'	M	X-FAST	1	8-20	3/8-3	0.600	5.5	3.4	HKC-6	\$100
2C86MF2	Casting/Spinning	WC/WS86MF2	8'6"	M	FAST	2	8-12	3/8-3/4	0.485	4.5	3.0	HKC-6 / HKS-6	\$100
2C96MF2	Casting/Spinning	WC/WS96MF2	9'6"	M	FAST	2	8-12	3/8-3/4	0.485	4.5	3.2	HKC-6 / HKS-6	\$110
2C106MMF2	Drift	WC/WS106MMF2	10'6"	M	MOD. FAST	2	8-20	1/4-3/4	0.520	5.5	4.0	HKC-6 / HKS-6	\$120
2C86MHF2	Casting/Spinning	WC/WS86MHF2	8'6"	MH	FAST	2	8-17	3/8-1 1/4	0.525	4.5	3.1	HKC-6 / HKS-6	\$105
2C96MHF2	Casting/Spinning	WC/WS96MHF2	9'6"	MH	FAST	2	8-17	3/8-1 1/4	0.510	4.5	3.3	HKC-6 / HKS-6	\$115
2C80HF	Backbouncing	WC80HF	8'	H	FAST	1	12-25	1-4	0.585	6.0	3.1	HKC-6	\$105
2C80HF2	Backbouncing	WC80HF2	8'	H	FAST	2	15-40	3/4-3	0.750	7.0	4.8	HKC-6	\$130
2C86HF2	Casting/Spinning	WC/WS86HF2	8'6"	H	FAST	2	12-25	1/2-2	0.580	6.0	3.6	HKC-6 / HKS-6	\$110
2C80XHF	Casting	WC80XHF	8'	XH	FAST	1	15-40	2-8	0.640	7.0	3.7	HKC-6	\$120