

SC^{III} GRAPHITE INSHORE SALTWATER BLANKS (COPPER PEARL FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
3SW70LM	Spinning/Casting	AIS70LM	7'	L	MODERATE	1	6-12	1/8-3/8	0.400	4.5	1.3	HKS-4 / HKC-2	\$105
3SW70MLF	Spinning/Casting	AIS70MLF	7'	ML	FAST	1	6-12	1/8-1/2	0.420	5.0	2.0	HKS-4 / HKC-2	\$115
3SW76MLF	Spinning/Casting	AIS76MLF	7'6"	ML	FAST	1	6-12	1/8-1/2	0.500	4.0	2.1	HKS-5 / HKC-3	\$120
3SW80MLF	Spinning/Casting	AIS80MLF	8'	ML	FAST	1	6-12	1/8-1/2	0.490	4.5	2.1	HKS-5 / HKC-3	\$125
3SW66MF	Spinning/Casting	AIS66MF	6'6"	M	FAST	1	8-17	3/8-3/4	0.510	5.5	1.9	HKS-5 / HKC-3	\$110
3SW70MF	Spinning/Casting	AIS70MF	7'	M	FAST	1	8-17	3/8-3/4	0.520	5.5	2.2	HKS-5 / HKC-3	\$120
3SW70MM	Spinning/Casting	AIS70MM	7'	M	MODERATE	1	8-17	1/4-5/8	0.430	4.5	1.6	HKS-5 / HKC-3	\$115
3SW76MF	Spinning/Casting	AIS76MF	7'6"	M	FAST	1	8-17	3/8-3/4	0.530	5.5	2.6	HKS-5 / HKC-3	\$125
3SW80MF	Spinning/Casting	AIS80MF	8'	M	FAST	1	8-17	3/8-3/4	0.550	6.0	2.9	HKS-6 / HKC-4	\$135
3SW66MHF	Spinning/Casting	AIS66MHF	6'6"	MH	FAST	1	10-20	1/2-1 1/4	0.530	6.0	2.6	HKS-5 / HKC-3	\$120
3SW70MHF	Spinning/Casting	AIS/AIC70MHF	7'	MH	FAST	1	10-20	1/2-1 1/4	0.545	6.0	3.0	HKS-5 / HKC-3	\$130
3SW76MHF	Spinning/Casting	AIS/AIC76MHF	7'6"	MH	FAST	1	10-20	1/2-1 1/4	0.565	6.0	3.6	HKS-6 / HKC-4	\$135
3SW80MHF	Spinning/Casting	AIS/AIC80MHF	8'	MH	FAST	1	14-30	1/2-2	0.585	6.0	4.1	HKS-6 / HKC-4	\$145
3SW70HF	Spinning/Casting	AIS/AIC70HF	7'	H	FAST	1	15-30	3/4-2	0.595	7.0	3.6	HKS-5 / HKC-3	\$140
3SW76HF	Spinning/Casting	AIS/AIC76HF	7'6"	H	FAST	1	15-30	3/4-2	0.605	7.0	4.2	HKS-6 / HKC-4	\$145
3SW80HF	Spinning/Casting	AIS/AIC80HF	8'	H	FAST	1	17-40	3/4-3	0.665	7.0	4.6	HKS-6 / HKC-4	\$155

SC^{II} GRAPHITE INSHORE SALTWATER BLANKS (GLOSS GREEN FINISH)

MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
2SW70LM	Spinning/Casting	TIS/TIC70LM	7'	L	MODERATE	1	6-12	1/8-3/8	0.415	5.0	1.3	HKC-2 / HKS-4	\$85
2SW76LM	Spinning/Casting	TIS76LM	7'6"	L	MODERATE	1	6-12	1/8-3/8	0.430	5.0	1.7	HKC-2 / HKS-4	\$90
2SW70MLF	Spinning/Casting	TIS/TIC70MLF	7'	ML	FAST	1	8-14	1/8-1/2	0.455	5.0	2.2	HKC-3 / HKS-5	\$95
2SW76MLF	Spinning/Casting	TIS76MLF	7'6"	ML	FAST	1	8-14	1/8-1/2	0.465	5.0	2.4	HKC-3 / HKS-5	\$100
2SW80MLF	Spinning	TIS80MLF	8'	ML	FAST	1	8-14	1/8-1/2	0.495	5.0	3.0	HKS-5	\$100
2SW66MF	Spinning/Casting	TIS66MF	6'6"	M	FAST	1	8-17	3/8-3/4	0.515	5.5	2.0	HKC-3 / HKS-5	\$90
2SW66MM	Spinning/Casting	TIS66MM	6'6"	M	MODERATE	1	8-17	1/4-5/8	0.440	5.0	1.6	HKC-3 / HKS-5	\$85
2SW70MF	Spinning/Casting	TIS/TIC70MF	7'	M	FAST	1	8-17	3/8-3/4	0.520	5.5	2.2	HKC-3 / HKS-5	\$100
2SW70MM	Spinning/Casting	TIS/TIC70MM	7'	M	MODERATE	1	8-17	1/4-5/8	0.450	5.0	1.7	HKC-3 / HKS-5	\$95
2SW76MF	Spinning/Casting	TIS/TIC76MF	7'6"	M	FAST	1	8-17	3/8-3/4	0.545	5.5	2.7	HKC-4 / HKS-6	\$105
2SW76MM	Spinning/Casting	TIS76MM	7'6"	M	MODERATE	1	8-17	1/4-5/8	0.465	5.0	2.1	HKC-4 / HKS-6	\$100
2SW80MF	Spinning/Casting	TIS80MF	8'	M	FAST	1	8-17	3/8-3/4	0.565	5.5	3.2	HKC-4 / HKS-6	\$115
2SW66MHF	Spinning/Casting	TIS/TIC66MHF	6'6"	MH	FAST	1	10-20	1/2-1 1/4	0.520	6.0	2.2	HKC-3 / HKS-5	\$100
2SW66MHM	Spinning/Casting	TIS66MHM	6'6"	MH	MODERATE	1	10-20	1/2-1	0.525	6.0	1.9	HKC-3 / HKS-5	\$90
2SW70MHF	Spinning/Casting	TIS/TIC70MHF	7'	MH	FAST	1	10-20	1/2-1 1/4	0.535	6.0	2.7	HKC-3 / HKS-5	\$110
2SW70MHM	Spinning/Casting	TIS70MHM	7'	MH	MODERATE	1	10-20	1/2-1	0.530	6.0	2.2	HKC-3 / HKS-5	\$100
2SW76MHF	Spinning/Casting	TIS/TIC76MHF	7'6"	MH	FAST	1	10-20	1/2-1 1/4	0.575	5.5	3.2	HKC-4 / HKS-6	\$115
2SW80MHF	Spinning/Casting	TIS/TIC80MHF	8'	MH	FAST	1	14-30	1/2-2	0.615	6.5	3.7	HKC-4 / HKS-6	\$125
2SW66HF	Spinning/Casting	TIS/TIC66HF	6'6"	H	FAST	1	12-25	3/4-2	0.570	7.0	3.1	HKC-3 / HKS-5	\$110
2SW66HM	Spinning/Casting	TIS66HM	6'6"	H	MODERATE	1	12-25	3/4-1 1/2	0.560	6.5	2.5	HKC-3 / HKS-5	\$105
2SW70HF	Spinning/Casting	TIS/TIC70HF	7'	H	FAST	1	12-25	3/4-2	0.580	7.0	3.5	HKC-3 / HKS-5	\$120
2SW70HM	Spinning/Casting	TIS70HM	7'	H	MODERATE	1	12-25	3/4-1 1/2	0.570	6.5	3.0	HKC-3 / HKS-5	\$115
2SW76HF	Spinning/Casting	TIS/TIC76HF	7'6"	H	FAST	1	12-25	3/4-2	0.620	6.5	3.7	HKC-4 / HKS-6	\$125
2SW80HF	Spinning/Casting	TIS/TIC80HF	8'	H	FAST	1	17-40	3/4-3	0.655	7.0	4.8	HKC-4 / HKS-6	\$135

SC^{II} GRAPHITE INSHORE SALTWATER TRAVEL BLANKS (GLOSS GREEN FINISH)

MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
2SW70MLF3	Spinning/Casting	TIS70MLF3	7'	ML	FAST	3	8-14	1/8-1/2	0.505	4.5	2.0	HKC-3 / HKS-5	\$130
2SW70MF3	Spinning/Casting	TIS/TIC70MF3	7'	M	FAST	3	8-17	3/8-3/4	0.565	5.0	2.3	HKC-3 / HKS-5	\$135
2SW76MF3	Spinning/Casting	TIS76MF3	7'6"	M	FAST	3	8-17	3/8-3/4	0.600	5.0	3.1	HKC-4 / HKS-6	\$145
2SW70MHF3	Spinning/Casting	TIS/TIC70MHF3	7'	MH	FAST	3	10-20	1/2-1 1/4	0.585	5.5	2.5	HKC-3 / HKS-5	\$145
2SW76MHF3	Spinning/Casting	TIS/TIC76MHF3	7'6"	MH	FAST	3	10-20	1/2-1 1/4	0.635	5.5	3.3	HKC-4 / HKS-6	\$160
2SW76HF3	Spinning/Casting	TIS/TIC76HF3	7'6"	H	FAST	3	12-25	3/4-2	0.650	6.0	3.5	HKC-4 / HKS-6	\$170

SC^{IV} GRAPHITE SURF BLANKS (BELIZE BLUE / 1PC OR BELIZE BLUE/SATIN CARBON FINISH / 2PC)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
4SRS70MMF	Spinning	LSS70MMF	7'	M	MOD. FAST	1	8-17	5/8-2	0.650	6.0	2.7	N/A	\$170
4SRS80MMF	Spinning	LSS80MMF	8'	M	MOD. FAST	1	8-17	3/4-3	0.695	6.0	3.6	N/A	\$190
4SRS90MMF2	Spinning/Casting	LSS90MMF2	9'	M	MOD. FAST	2	10-20	1-4	0.740	7.0	4.9	N/A	\$230
4SRS90MM2	Spinning	LSS90MM2	9'	M	MODERATE	2	10-20	3/4-4	0.740	7.0	4.8	N/A	\$230
4SRS100MMF2	Spinning/Casting	LSS/LSC100MMF2	10'	M	MOD. FAST	2	10-20	1-4	0.745	8.0	5.6	N/A	\$260
4SRS106MM2	Spinning	LSS106MM2	10'6"	M	MODERATE	2	10-20	3/4-4	0.780	7.0	5.9	N/A	\$270
4SRS106MHMF2	Spinning/Casting	LSS/LSC106MHMF2	10'6"	MH	MOD. FAST	2	12-25	2-6	0.780	7.0	6.0	N/A	\$280
4SRS110MHMF2	Spinning/Casting	LSS/LSC110MHMF2	11'	MH	MOD. FAST	2	15-40	3-8	0.808	7.5	6.6	N/A	\$290

SC^{II} / SC^{III} GRAPHITE SURF BLANKS (SATIN BLACK FINISH)

MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
2SRS70L	Spinning	PSRS70L	7'	L	MOD. FAST	1	4-8	1/4-5/8	0.570	5.0	2.4	N/A	\$90
2SRS70ML	Spinning	PSRS70ML	7'	ML	MOD. FAST	1	6-10	3/8-3/4	0.600	6.5	2.9	N/A	\$95
2SRS70M	Spinning	PSRS70M	7'	M	MOD. FAST	1	8-17	1/2-2	0.575	7.5	3.4	N/A	\$100
2SRS80M	Spinning	PSRS80M	8'	M	MOD. FAST	1	6-17	1/2-2	0.645	8.0	4.8	N/A	\$130
2SRS86M2	Spinning/Casting	PSRS/PSRC86M2	8'6"	M	MOD. FAST	2	6-17	1/2-2	0.840	8.0	5.6	N/A	\$155
2SRS100M2	Spinning/Casting	PSRS/PSRC100M2	10'	M	MOD. FAST	2	6-20	3/4-4	0.815	8.0	8.3	N/A	\$170
2SRS106MH2	Spinning/Casting	PSRS/PSRC106MH2	10'6"	MH	MOD. FAST	2	10-25	2-6	0.880	12.0	12.8	N/A	\$210
2SRS116MH2	Spinning/Casting	PSRS/PSRC116MH2	11'6"	MH	MOD. FAST	2	10-25	2-6	0.990	12.0	13.7	N/A	\$235
2SRS106H2	Spinning/Casting	PSRS/PSRC106H2	10'6"	H	MOD. FAST	2	15-30	4-8	0.885	15.0	12.6	N/A	\$215
2SRC120XH2	Casting	PSRC120XH2	12'	XH	MOD. FAST	2	20-60	4-16	1.200	14.0	18.0	N/A	\$280

SC^{II} GRAPHITE / NSI RESIN BOAT ROD BLANKS (GLOSS BLACK FINISH)



MODEL	TYPE	EQUIVALENT ST. CROIX ROD MODEL	LENGTH	POWER	ACTION	PCS.	LINE WT. RATING	LURE WT. (OZ.)	BUTT DIAMETER (INCH)	TIP SIZE	BLANK WT. (OZ.)	SUG. HANDLE KIT	BLANK RETAIL PRICE
2SWC66MF	Conventional	LSWC66MF	6'6"	M	Fast	1	15-30 Mono / 20-40 Braid	N/A	0.520	5.5	3.7	N/A	\$140
2SWC70MF	Conv./Spinning	LSWC/LSWS70MF	7'	M	Fast	1	15-30 Mono / 20-40 Braid	N/A	0.571	5.5	4.3	N/A	\$150
2SWC66MHF	Conventional	LSWC66MHF	6'6"	MH	Fast	1	30-50 Mono / 40-65 Braid	N/A	0.557	6.0	4.5	N/A	\$160
2SWC70MHF	Conv./Spinning	LSWC/LSWS70MHF	7'	MH	Fast	1	30-50 Mono / 40-65 Braid	N/A	0.607	6.0	5.2	N/A	\$170
2SWS76MHF	Spinning	LSWS76MHF	7'6"	MH	Fast	1	30-50 Mono / 40-65 Braid	N/A	0.615	6.0	6.3	N/A	\$180
2SWC66HF	Conventional	LSWC66HF	6'6"	H	Fast	1	50-80 Mono / 65-100 Braid	N/A	0.593	8.5	4.8	N/A	\$170
2SWC70HF	Conv./Spinning	LSWC/LSWS70HF	7'	H	Fast	1	50-80 Mono / 65-100 Braid	N/A	0.649	8.5	6.7	N/A	\$180
*2SWS80HM	Spinning	LSWS80HM	8'	H	MODERATE	1	50-80 Mono / 65-100 Braid	N/A	0.668	6.5	7.8	N/A	\$180

* New for 2012